



HYGIENE CERTIFICATE

Nr: 590240003

SWISS KRONO sp. z o.o.
ul. Serbska 56
68-200 Żary, Poland

CERTIFICATE HOLDER / IMPORTER

SWISS KRONO AG
Willisauerstrasse 37
CH-6122 Menznau, Switzerland

MANUFACTURER

SWISS KRONO MDF flameproof Stop Fire

PRODUCT NAME

THICKNESS RANGE: 12-25 mm
use of the product in:

- **rooms category A***: residential and also intended for permanent stay of patients, rooms for children and adolescents in education buildings and food storage rooms - the material load should not exceed the value of **0.8 m²/m³**.
- **rooms category B***: in public utility buildings other than the above-mentioned and auxiliary rooms in flats - the material load should not exceed **1.6 m²/m³**.

Recommendations: the rooms containing the products covered by the certificate should be ventilated until the odor disappears.

*categories of rooms in accordance with the Regulation of the Minister of Health and Social Welfare of 1996.03.12, No. 19, item 231.

Hygiene class: **E1**, as required: **≤0.124 mg/m³** on the basis of the report **QA-2023-0566**

Fraunhofer Institute for Wood Research, Wilhelm-Klauditz-Institut WKI, Riedenkamp 3, 38108 Braunschweig, Germany

MODEL / TYPE / DESCRIPTION

2024.03.11
DATE OF ISSUE

2025.03.10
EXPIRATION DATE

Fryderyk Wachowiak
CERTIFICATION BODY MANAGER



Warsaw, 2024.03.11

GREEN ANGEL Sp. z o.o., ul. Senatorska 18a, 00-082 Warsaw, Product Certification Body, www.green-angel.pl

The certificate applies only the products having identical characteristics as the test sample and complies the requirements given above.